

1. Identification

1.1. Product identifier **Product Identity Alternate Names**

General Purpose Detergent (Liquid Nonionic)

Specification: MIL-D-16791G, Type I LHB Part Number: 1064006, 1064007, 1064008 National Stock Number: 7930-00-282-9699, 7930-00-985-6911, 7930-00-282-9700, CAGE Code: 1A864 Contract Number: GS-07F-R0002

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet **Company Name**

LHB Industries 8833 Fleischer Place

Berkeley, MO 63134

Emergency 24 hour Emergency Telephone No. **Customer Service: LHB Industries**

(800) 633-8253 (PERS) (314) 423-4333

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Eye Dam. 1;H318 2.2. Label elements	Causes serious eye damage.
Eva Dam 1:4219	Couloos sorious ave demogra
Skin Irrit. 2;H315	Causes skin irritation.
Acute Tox. 4;H302	Harmful if swallowed.



H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

[Prevention]:

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, eye protection, face protection.



[Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER, doctor or physician.

P321 Specific treatment (see information on this label).

P330 IF SWALLOWED: Rinse mouth.

P332+313 IF SKIN IRRITATION OCCURS: Get medical advice or attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Nonylphenol polyethylene glycol ether CAS Number: 0127087-87-0	75 - 100	Eye Dam. 1;H318 Acute Tox. 4;H302 Skin Irrit. 2;H315	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.



4.2. Most important symptoms and effects, both acute and delayed

Overview	ROUTES OF EXPOSURE: Exposure may be by INGESTION, INHALATION and/or SKIN or EYE contact, depending on conditions of use. To minimize exposure, follow recommendations for proper use, ventilation, and personal protective equipment. EFFECTS OF OVEREXPOSURE: Irritation of eyes, skin and upper respiratory system. SIGNS AND SYMPTOMS OF OVEREXPOSURE: Headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mists. Redness and itching or burning sensation may indicate eye or excessive skin exposure. MEDICAL CONDITIONS AGRAVATED BY EXPOSURE: Pre-existing respiratory, skin, eye, liver, kidney and lymphatic disorders. Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.
Eyes	Causes serious eye damage.
Skin	Causes skin irritation.
Ingestion	Harmful if swallowed.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon Monoxide and Carbon Dioxide

5.3. Advice for fire-fighters

Water or foam may cause frothing

Use water spray to keep fire-exposed containers cool. If a spill has ignited, use water spray to disperse the vapors. Use a water spray to flush spills away from a fire and to dilute spills to non-flammable mixtures. Do not flush into a storm drain or public sewer. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity.

Use self-contained breathing apparatus (SCBA) and proper personal protection clothing.

There are no known unusual fire and explosion hazards associated with this material in its virgin form. However, in a firefighting scenario involving multiple chemicals, fire fighters should be aware of possible synergistic effects and attack the fire accordingly.

ERG Guide No.



Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Read entire label before using and follow all label directions.

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Wipe, scrape or soak up contents in an inert material. Pick up spill for recovery or disposal and place in a closed container

Section 7. Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not take internally. Do not consume food, drink or smoke while handling this product.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Keep from freezing. Avoid storage in high temperatures or near open flame. Store in dry cool place.

Incompatible materials: Oxidizing agents and acids.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0127087-87-0	Nonylphenol polyethylene glycol ether	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.



Eyes	Wear safety glasses with side shields. Wear chemical goggles when possibility for splashing exists.
Skin	Wear overalls to keep skin contact to a minimum. Wear chemical resistant gloves to keep skin contact to a minimum,
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Avoid contact with skin and clothing. Wear suitable protective clothing. Body garments used should be based upon the task being performed (e.g., lab coat, chemical resistant protective suit, sleevelets, synthetic apron, gauntlets) to avoid exposed skin surfaces. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

• • • • • • • • • • • • • • • • • • •	· Option Option of Displayed Option 1 is it.
Appearance	Color: Colorless Physical State: Liquid
Odor	Slight
Odor threshold	Not determined
рН	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	237.8 C PMCC
Evaporation rate (Ether = 1)	Slower than ether
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not determined
	Upper Explosive Limit: Not determined
Vapor pressure (Pa)	<1 mmHg @20 C
Vapor Density	Not Measured
Relative Density	1.06 (8.84 lb/gal)
Solubility in Water	>10%
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
VOC Content	<1% by wt. (ASTM D 2369), <0.09 lbs/gal
9.2. Other information	
No other relevant information.	



Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Oxidizing agents and acids.

10.6. Hazardous decomposition products

Carbon Monoxide and Carbon Dioxide

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Nonylphenol polyethylene glycol ether - (127087-87-0)	No data	No data	No data	No data	No data
	available	available	available	available	available

Carcinogen Data

CAS No.	Ingredient	Source	Value			
0127087-87-0	Nonylphenol polyethylene glycol	OSHA	Regulated C	arcinogen: No;		
	ether	NTP	Known: No;	Known: No; Suspected: No;		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Established Limit			
Classification		Category		Hazard Description		
Acute toxicity (oral)		4		Harmful if swallowed.		
Acute toxicity (dermal)				Not Applicable		
Acute toxicity (inhalation)				Not Applicable		
Skin corrosion/irritation		2		Causes skin irritation.		
Serious eye damage/irritation			1	Causes serious eye damage.		



Respiratory sensitization	 Not Applicable
Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Nonylphenol polyethylene glycol ether - (127087-87-0)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.



Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA		
14.1. UN number	Not Regulated	Not Regulated	Not Regulated		
14.2. UN proper shippir name	ng Not Regulated	Not Regulated	Not Regulated		
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable		
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable		
14.5. Environmental ha	zards				
IMDG	farine Pollutant: No;				
14.6. Special precautions for user					
1	Not Applicable				

Section 15. Regulatory information

Regulatory OverviewThe regulatory data in Section 15 is not intended to be all-inclusive, only selected
regulations are represented.Toxic SubstanceAll components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) All components of this material are either listed or exempt from listing on the TS

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Section 16. Other information

SDS Revision Date 06/09/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.



IMPORTANT NOTE: This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Document