

Safety Data Sheet
ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

SECTION 1. IDENTIFICATION**Product name** : ISOPROPANOL 99%

Synonyms : 2-PROPANOL; ISOPROPYL ALCOHOL; IPA ; propan-2-ol

Recommended use of the chemical and restrictions on use

Recommended use : Alcohol solvent

Restricted Uses : No data available

Manufacturer or supplier's details**Company** : Univar Solutions Canada Ltd.
Address : 64 Arrow Road
North York, ON, M9M 2L9
Canada**Emergency telephone number:**

Local Emergency Contact : During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific Standard Time) : 1-866-686-4827

Additional Information: : Responsible Party: Product Compliance Department
E-mail: SDSNA@univarsolutions.com
SDS Requests: 1-855-429-2661
Website: www.univarsolutions.com**SECTION 2. HAZARD IDENTIFICATION****Hazardous Classification of the substance or mixture**

Flammable liquids : Category 2

Eye irritation : Category 2A

Specific target organ toxicity : Category 3 (Central nervous system)
- single exposure**Label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Safety Data Sheet

ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

Precautionary statements : **Prevention:**
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
 P242 Use non-sparking tools.
 P243 Take action to prevent static discharges.
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/ eye protection/ face protection.
Response:
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P403 + P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.
Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

| CAS-No. | Chemical name | % by Weight | Synonyms |
|---------|-------------------|-------------|-------------|
| 67-63-0 | Isopropyl alcohol | 80 - 100 | propan-2-ol |

The exact ranges of this mixture are being withheld due to a Trade Secret.

SECTION 4. FIRST-AID MEASURES

General advice : Move out of dangerous area.

Safety Data Sheet

ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

| | |
|-------------------------|--|
| | <p>Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.</p> |
| If inhaled | <p>: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.</p> |
| In case of skin contact | <p>: If on skin, rinse well with water. If on clothes, remove clothes.</p> |
| In case of eye contact | <p>: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.</p> |
| If swallowed | <p>: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Do not induce vomiting without medical advice.</p> |

SECTION 5. FIREFIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media | <p>: Alcohol-resistant foam Carbon dioxide (CO₂) Dry chemical</p> |
| Unsuitable extinguishing media | <p>: High volume water jet</p> |
| Specific hazards during fire-fighting | <p>: Do not allow run-off from fire fighting to enter drains or water courses.</p> |
| Hazardous combustion products | <p>: Carbon oxides formaldehyde corrosive vapors Nitrogen oxides (NO_x)</p> |
| Further information | <p>: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.</p> |
| Special protective equipment for firefighters | <p>: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.</p> |

Safety Data Sheet
ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Container may be opened only under exhaust ventilation hood.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Safety Data Sheet

ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| CAS-No. | Components | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------|-------------------|----------------------------------|--|-----------|
| 67-63-0 | Isopropyl alcohol | TWA | 200 ppm 492 mg/m ³ | CA AB OEL |
| | | STEL | 400 ppm 984 mg/m ³ | CA AB OEL |
| | | TWA | 200 ppm | CA BC OEL |
| | | STEL | 400 ppm | CA BC OEL |
| | | TWAEV | 400 ppm 983 mg/m ³ | CA QC OEL |
| | | STEV | 500 ppm 1,230 mg/m ³ | CA QC OEL |

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Clear, colorless

Odour : alcohol-like, characteristic

Odour Threshold : 200 ppm

Safety Data Sheet
ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

| | |
|---|---|
| pH | : neutral |
| Freezing Point (Melting point/freezing point) | : -88 °C (-126 °F) |
| Boiling Point (Boiling point/boiling range) | : 82 - 83 °C (180 - 181 °F) (1013 hPa) |
| Flash point | : 12 °C (54 °F) Method: Tag closed cup |
| Evaporation rate | : < 3.9 (Butyl Acetate = 1) |
| Flammability (solid, gas) | : No data available |
| Upper explosion limit | : 13 %(V) |
| Lower explosion limit | : 2 %(V) |
| Vapour pressure | : No data available |
| Relative vapour density | : < 2.1 @ 15 - 20 °C (59 - 68 °F) (Air = 1.0) |
| Relative density | : 0.785 - 0.787 @ 20 °C (68 °F) Reference substance: (water = 1) |
| Density | : 0.785 - 0.787 g/cm ³ @ 20 °C (68 °F) |
| Solubility(ies) Water solubility | : completely miscible |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : log Pow: 0.05 @ 25 °C (77 °F) |
| Auto-ignition temperature | : 399 - 425 °C |
| Thermal decomposition | : No data available |
| Viscosity Viscosity, dynamic | : 2.4 mPa.s @ 20 °C (68 °F) |
| Viscosity, kinematic | : 2.66 mm ² /s @ 25 °C (77 °F) |
| Surface tension | : 22.7 mN/m, 20 °C |

Safety Data Sheet
ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | No dangerous reaction known under conditions of normal use. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | Vapours may form explosive mixture with air. |
| Conditions to avoid | : | Keep away from heat, flame, sparks and other ignition sources. |
| Incompatible materials | : | Strong acids Aldehydes Oxidizing agents Rubber Oils Plastics Amines Halogenated compounds Peroxides Bases |
| Hazardous decomposition products | : | Carbon oxides Sulphur oxides |

SECTION 11. TOXICOLOGICAL INFORMATION**Serious eye damage/eye irritation****Components:****67-63-0:**

Species: Rabbit

Result: Irritating to eyes.

STOT - single exposure**Components:****67-63-0:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

Further information**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

Safety Data Sheet
ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION**TDG (Transportation of Dangerous Goods):**
UN1219, ISOPROPANOL, 3, II**IATA (International Air Transport Association):**

Safety Data Sheet ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

UN1219, ISOPROPANOL, 3, II

IMDG (International Maritime Dangerous Goods):

UN1219, ISOPROPANOL, 3, II, Flash Point:12 °C(54 °F)

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

NPRI Components : 67-63-0

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PHIL : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 04/10/2023

Legacy SDS: : R0001444, 100000027693, 100000061297

Material number:

16205633, 16185017, 16204322, 16203651, 16141730, 16187819, 16141123, 16185016, 16187197, 16185038, 16185039, 16184473, 16184512, 16184020, 16184810, 16184408, 16184314, 16185097, 16186271, 16183109, 16182974, 16178967, 16182648, 16175816, 16176549, 16175656, 16176457, 16176751, 16175879, 16174714, 16176870, 16175445, 16174727, 16174726, 16175555, 16180539, 16163494, 16151614, 16169230, 16169779,

Safety Data Sheet

ISOPROPANOL 99%

Version 1.11

Revision Date: 04/10/2023

16168235, 16170647, 16170200, 16170163, 16168234, 16173689, 16172502, 16145669, 16149765, 16171308, 16158552, 16146859, 16147074, 16147313, 16148783, 16148704, 16144452, 16146351, 16146089, 16144123, 16143652, 16167327, 16166321, 16165964, 16161591, 16149329, 16158191, 16152613, 16138602, 16137598, 16143917, 16140147, 16138087, 16137628, 16137534, 16137389, 16137356, 16156747, 16145782, 16160060, 16154121, 16159435, 16144176, 16152980, 16144004, 16153058, 16135462, 16143649, 16143998, 16148561, 16148563, 16135027, 16141526, 16159251, 16159182, 16143653, 16140155, 16140875, 16134646, 16134617

| Key or legend to abbreviations and acronyms used in the safety data sheet | | | |
|---|--|-------|--|
| ACGIH | American Conference of Government Industrial Hygienists | LD50 | Lethal Dose 50% |
| AICS | Australia, Inventory of Chemical Substances | LOAEL | Lowest Observed Adverse Effect Level |
| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency |
| NDSL | Canada, Non-Domestic Substances List | NIOSH | National Institute for Occupational Safety & Health |
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure Scenario Tool | OSHA | Occupational Safety & Health Administration |
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical Substances in China | TWA | Time Weighted Average |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | | | Lethal Concentration 50% |