

SYMBOL GLOSSARY

An explanation of symbols used in **dynarex** packaging

Symbol	Title	Standard	Reference No.	Description
	Single patient multiple use	ISO 7000 — Graphical symbols for use on equipment — Registered symbols	01.080.20	To indicate that the medical device may be used multiple times (multiple procedures) on a single patient
	Do not re-use	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.4.2	Indicates a medical device that is intended for one use or for use on a single patient during a single procedure.
	Consult instructions for use	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.4.3	Indicates the need for the user to consult the instructions for use.
	Refer to instruction manual/booklet	ISO 20417:2021 Medical devices — Information to be supplied by the manufacturer — Part 6: Requirements for accompanying information	6.1.5	To signify that the instruction manual/booklet must be read
	Caution	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.4.4	Indicates the need for the user to consult the instructions for use for important cautionary information such as warnings and precautions that cannot, for a variety of reasons, be presented on the medical device itself.
	Keep away from sunlight Note: This symbol can also mean "Keep away from heat," as referenced in ISO 7000:1989.	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.3.2	Indicates a medical device that needs protection from light sources.
	Keep dry	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.3.4	Indicates a medical device that needs to be protected from moisture
	Sterile	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.2.1	Indicates a medical device that has been subjected to a sterilization process.
	Sterilized using irradiation	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.2.4	Indicates a medical device that has been sterilized using irradiation.
	Sterilized using Ethylene Oxide	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.2.3	Indicates a medical device that has been sterilized using ethylene oxide.
	Sterile fluid path	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.2.9	Indicates the presence of a sterile fluid path within the medical device in cases when other parts of the medical device, including the exterior, might not be supplied sterile. The method of sterilization shall be indicated in the empty box, as appropriate.
	Sterilized using aseptic processing techniques	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labeling, and information to be supplied — Part 1: General requirements.	5.2.2	Indicates a medical device that has been manufactured using accepted aseptic techniques.
	Sterilized using steam or dry heat	ISO 7000/ IEC 60417 – Graphical symbols for use on equipment — Registered symbols	2503	Indicates a medical device that has been manufactured using steam or dry heat.
	Date of manufacture	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.1.3	Indicates the date when the medical device was manufactured.
	Manufacturer	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.1.1	Indicates the medical device manufacturer, as defined in EU Directives 90/385/EEC, 93/42/EEC and 98/79/EC.
	Use-by date	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.1.4	Indicates the date after which the medical device is not to be used.
	Batch code	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.1.5	Indicates the manufacturer's batch code so that the batch or lot can be identified.
	Exclamation mark	29 CFR 1900.1200	Section C.2.3.2	Irritant, dermal sensitizer, acute toxicity (harmful), narcotic effects, and/or respiratory tract irritation hazard.
	Flame over circle	29 CFR 1900.1200	Section C.2.3.2	Oxidizers hazard.
	Health hazard	29 CFR 1900.1200	Section C.2.3.2	Carcinogen, respiratory sensitizer, reproductive toxicity (harmful), target organ toxicity, mutagenicity and/or aspiration hazard.
	Not made with natural rubber latex	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.4.5 with Annex B.2 negation symbol	Indicates a medical device and the packaging of the medical device was not made with natural rubber latex.
	Contains or presence of natural rubber latex	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.4.5	Indicates the presence of natural rubber or dry natural rubber latex as a material of construction within the medical device or the packaging of a medical device.
	Does not contain Phthalates (DEHP)	BS EN 15986 Graphic symbols for use in the labelling of medical devices.	4.2	Indicates a medical device and the packaging of the medical device was not made with Phthalates (DEHP).
	Fragile, handle with care	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.3.1	Indicates a medical device that can be broken or damaged if not handled carefully.
	Top	ISO 7000 Graphical symbols for use on equipment.	0623	The package must always be transported, handled and stored in such a way that the arrows always point upwards.
	Non-sterile	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.2.7	Indicates a medical device that has not been subjected to a sterilization process.
	Do not re-sterilize	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.2.6	Indicates a medical device that is not to be re-sterilized.
	Serial number	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.1.7	Indicates the manufacturer's serial number so that a specific medical device can be identified.
	Catalogue number	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.1.6	Indicates the manufacturer's catalogue number so that the medical device can be identified.
	Do not use if package is damaged	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.2.8	Indicates a medical device that should not be used if the package has been damaged or opened. This symbol may also mean "Do not use if the product sterile barrier system or its packaging is compromised".
	Temperature limit	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.3.7	Indicates the temperature limits to which the medical device can be safely exposed.
	Upper limit of temperature	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.3.6	Indicates the upper limit of temperature to which the medical device can be safely exposed.
	Humidity limitation	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.3.8	Indicates the range of humidity to which the medical device can be safely exposed.
	Non-pyrogenic	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.6.3	Indicates a medical device that is non-pyrogenic.
	Drops per milliliter (mL)	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.6.4	Indicates the number of drops per milliliter.
	Recycling code	Public domain symbol	#21 PAP	Recycling symbol for mixed paper magazines, mail
	Stacking limitation	ISO 7000 Graphical symbols for use on equipment.	2403	Maximum number of identical packages that may be stacked, where N stands for the number of permitted packages.
	Prescription use only	N/A	N/A	Caution: Federal law (USA) restricts this device to sale by or on the order of a physician, dentist, or licensed practitioner.
	Pitch-in symbol	www.pitch-in.ca	N/A	Dispose of properly. Do not litter.
	WEEE; waste electrical and electronic equipment	ISO 7000 / IEC 60417 Graphical symbols for use on equipment	6414	To indicate that separate collection for waste electric and electronic equipment (WEEE) is required.
	Type BF applied part	ICE 60417 Medical electrical equipment — Part 1: General requirements. for basic safety and essential performance.	5333	To identify a type BF applied part complying with IEC 60601-1.
	Type B applied part	ICE 60417 Medical electrical equipment — Part 1: General requirements. for basic safety and essential performance.	5480	To identify a type B applied part complying with IEC 60601-1.
	Defibrillation-Proof Type BF applied part	ICE 60417 Medical electrical equipment — Part 1: General requirements. for basic safety and essential performance.	5334	To identify a defibrillation-proof type BF applied part complying with IEC 60601-1.
	Biohazard	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.4.3	Indicates that there are potential biological risks associated with the medical device.
	Class II equipment	IEC 60417 — Graphical Symbols for Use on Equipment	5172	To identify equipment meeting the safety requirements specified for Class II equipment according to IEC 61140.
	Ingress protection	IEC 60529 — Degrees of protection provided by enclosures	N/A	The degree of protection provided by electro-medical device enclosures against the ingress of dirt or water. N_1 is the degree of protection against dirt, N_2 is the degree of protection against water. Digits are replaced with X when a characteristic is not required to be specified or insufficient data has been gathered to assign a protection level. $N_2 = 0$ No protection against vertically falling water drops or condensation
	No alarm	IEC 60417 — Graphical Symbols for Use on Equipment	5319	To identify the alarm inhibit on control equipment. The type of alarm may be indicated inside the triangle or below the triangle. For example, when SpO_2 appears below the symbol, this means No SpO_2 Alarm .
	European Conformity	EU Regulation 2017/745 Annex v	N/A	Certification mark that indicates conformity with applicable health, safety, and environmental protection standards for products sold within the European Economic Area (EEA)
	Authorized representative in the European Community	ISO 15223-1 Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements.	5.1.2	This symbol shall be accompanied by the name and address of the authorized representative in the European Community, adjacent to the symbol.
	No Smoking	ISO 7010 Graphical Symbols	7010-P002	To prohibit smoking, fire or explosion caused by lit cigarettes or other smoking material.
	No Open Flame, no open ignition source, and smoking is prohibited	ISO 7010 Graphical Symbols	7010-P003	To prohibit smoking and all forms of open flame.
	Atmospheric pressure limitation	ISO 7000 — Graphical symbols for use on equipment — Registered symbols	2621	To indicate the acceptable upper and lower limits of atmospheric pressure for transport and storage.
	Maximum altitude $\leq 3000m$	IEC 60417 — Graphical Symbols for Use on Equipment	6343	[To indicate that the appliance is intended to be usable up to the maximum altitude 3000 m. The letter symbols "3000" may be replaced by those for a different numerical value (in meters) in agreement with actual applications.
	Caution, Risk of Electric Shock	ISO 7000/ IEC 60417 – Graphical symbols for use on equipment	6042	To identify equipment that has risk of electric shock.
	Non-ionizing electromagnetic radiation	IEC 60417 – Graphical Symbols for Use on Equipment	5140	N/A